



JEWELRY FINDINGS

FOR A BETTER FINISH



HOHENHAUS
PRECISION MANUFACTURING

BEADS

2-holes beads, hollow

		Dimension approx.	Art.-No.
small	Ø 2,0 mm	Wd 0,15, hole 0,6 mm	02 100 020
	Ø 2,5 mm	Wd 0,15, hole 0,7 mm	02 100 025
	Ø 3,0 mm	Wd 0,17, hole 0,9 mm	02 100 030
	Ø 3,5 mm	Wd 0,20, hole 0,9 mm	02 100 035
	Ø 4,0 mm	Wd 0,20, hole 1,0 mm	02 100 040
	Ø 4,5 mm	Wd 0,20, hole 1,0 mm	02 100 045
	Ø 5,0 mm	Wd 0,20, hole 1,2 mm	02 100 050
	Ø 5,5 mm	Wd 0,25, hole 1,2 mm	02 100 055
	Ø 6,0 mm	Wd 0,30, hole 1,3 mm	02 100 060
	Ø 7,0 mm	Wd 0,30, hole 1,3 mm	02 100 070
	Ø 8,0 mm	Wd 0,30, hole 1,6 mm	02 100 080
	Ø 9,0 mm	Wd 0,35, hole 2,0 mm	02 100 090
	Ø 10,0 mm	Wd 0,40, hole 2,3 mm	02 100 100

large, drilled from 1 hole	Ø 11,0 mm	Wd 0,60, hole 2,0 mm	02 100 110
	Ø 12,0 mm	Wd 0,60, hole 2,3 mm	02 100 120
	Ø 13,0 mm	Wd 0,60, hole 2,3 mm	02 100 130
	Ø 14,0 mm	Wd 0,60, hole 2,5 mm	02 100 140
	Ø 15,0 mm	Wd 0,60, hole 2,5 mm	02 100 150
	Ø 16,0 mm	Wd 0,60, hole 2,8 mm	02 100 160

1-hole beads, hollow

		Dimensions approx.	Art.-No.
small, drilled from beads without a hole	Ø 2,5 mm	Wd 0,20, hole 0,8 mm	01 100 025
	Ø 3,0 mm	Wd 0,20, hole 1,0 mm	01 100 030
	Ø 3,5 mm	Wd 0,25, hole 1,0 mm	01 100 035
	Ø 4,0 mm	Wd 0,25, hole 1,0 mm	01 100 040
	Ø 4,5 mm	Wd 0,25, hole 1,0 mm	01 100 045
	Ø 5,0 mm	Wd 0,30, hole 1,0 mm	01 100 050
	Ø 5,5 mm	Wd 0,30, hole 1,0 mm	01 100 055
	Ø 6,0 mm	Wd 0,40, hole 1,0 mm	01 100 060

large, thin wall	Ø 7,0 mm	Wd 0,50, hole 1,0 mm	01 105 070
	Ø 8,0 mm	Wd 0,50, hole 1,5 mm	01 105 080
	Ø 9,0 mm	Wd 0,50, hole 1,5 mm	01 105 090
	Ø 10,0 mm	Wd 0,50, hole 2,0 mm	01 105 100
	Ø 11,0 mm	Wd 0,60, hole 2,0 mm	01 105 110
	Ø 12,0 mm	Wd 0,60, hole 2,3 mm	01 105 120
	Ø 13,0 mm	Wd 0,60, hole 2,3 mm	01 105 130
	Ø 14,0 mm	Wd 0,60, hole 2,5 mm	01 105 140
	Ø 15,0 mm	Wd 0,60, hole 2,5 mm	01 105 150
	Ø 16,0 mm	Wd 0,60, hole 2,8 mm	01 105 160
	Ø 17,0 mm	Wd 1,00, hole 2,8 mm	01 105 170
	Ø 18,0 mm	Wd 1,00, hole 2,8 mm	01 105 180
	Ø 19,0 mm	Wd 1,00, hole 2,8 mm	01 105 190

1-hole beads, hollow

		Dimensions approx.	Art.-No.
big, thick wall	Ø 8,0 mm	Wd 0,90, Loch 1,5 mm	01 109 080
	Ø 9,0 mm	Wd 0,90, Loch 1,5 mm	01 109 090
	Ø 10,0 mm	Wd 0,90, Loch 2,0 mm	01 109 100
	Ø 11,0 mm	Wd 0,90, Loch 2,0 mm	01 109 110
	Ø 12,0 mm	Wd 0,90, Loch 2,3 mm	01 109 120
	Ø 13,0 mm	Wd 0,90, Loch 2,3 mm	01 109 130
	Ø 14,0 mm	Wd 0,90, Loch 2,5 mm	01 109 140
	Ø 15,0 mm	Wd 0,90, Loch 2,5 mm	01 109 150
	Ø 16,0 mm	Wd 0,90, Loch 2,8 mm	01 109 160

Beads without holes, hollow

		Dimensions approx.	Art.-No.
small	Ø 2,5 mm	Wd 0,20	01 000 025
	Ø 3,0 mm	Wd 0,20	01 000 030
	Ø 3,5 mm	Wd 0,25	01 000 035
	Ø 4,0 mm	Wd 0,25	01 000 040
	Ø 4,5 mm	Wd 0,25	01 000 045
	Ø 5,0 mm	Wd 0,30	01 000 050
	Ø 6,0 mm	Wd 0,30	01 000 060
	Ø 8,0 mm	Wd 0,40	01 000 080

Solid beads

		Art.-No.
Standard quality	Ø 1,00 mm	02 000 010
	Ø 1,30 mm	02 000 013
	Ø 1,50 mm	02 000 015
	Ø 1,75 mm	02 000 017
	Ø 2,00 mm	02 000 020
	Ø 2,50 mm	02 000 025
turned quality	Ø 3,00 mm	02 000 030
	Ø 3,00 mm	02 001 030
	Ø 4,00 mm	02 000 040
	Ø 5,00 mm	02 000 050
	Ø 6,00 mm	02 000 060
	Ø 8,00 mm	02 000 080

INTERMEDIATE PARTS

Hollow rings

low,
curved side



Dimensions approx.

Art.-No.

Ø 3,0 x 1,0 mm	07 100 020
Ø 3,5 x 1,2 mm	07 100 030
Ø 4,1 x 1,5 mm	07 100 040
Ø 4,7 x 1,6 mm	07 100 050
Ø 5,8 x 2,2 mm	07 100 060
Ø 7,0 x 2,6 mm	07 100 070
Ø 8,0 x 2,9 mm	07 100 080
Ø 9,0 x 3,4 mm	07 100 090
Ø 10,0 x 3,9 mm	07 100 100
Ø 11,5 x 4,2 mm	07 100 110

high, curved
side



Ø 2,7 x 1,4 mm	07 101 010
Ø 3,2 x 2,0 mm	07 101 020
Ø 3,7 x 2,3 mm	07 101 030
Ø 4,1 x 2,5 mm	07 101 040
Ø 5,3 x 3,0 mm	07 101 050
Ø 6,3 x 3,8 mm	07 101 060
Ø 7,4 x 4,2 mm	07 101 070
Ø 8,3 x 4,8 mm	07 101 080
Ø 9,3 x 5,2 mm	07 101 090
Ø 10,5 x 5,9 mm	07 101 110

Hollow cylinder

down,
straight side



Dimensions approx.

Art.-No.

Ø 2,5 x 1,3 mm	05 100 020
Ø 3,0 x 1,4 mm	05 100 030
Ø 4,0 x 1,9 mm	05 100 040
Ø 5,0 x 2,6 mm	05 100 050

high,
straight side



Ø 3,0 x 3,0 mm	05 101 030
Ø 4,0 x 2,6 mm	05 101 040
Ø 5,0 x 4,1 mm	05 101 050

Olive

smooth,
hollow



Dimensions approx.

Art.-No.

2,5 x 4,0 mm	03 100 025
3,0 x 4,5 mm	03 100 030
3,5 x 5,0 mm	03 100 035
4,0 x 6,0 mm	03 100 040
5,0 x 7,5 mm	03 100 050
6,0 x 9,0 mm	03 100 060

pipe sections



Dimensions on
request

EARRINGS

LEVERBACKS

		Dimensions approx.	Art.-No.		Dimensions approx.	Art.-No.
without front part		13,5 x 8,5 mm	13 000 002 (1302)	Bent bow, grooved pearl holder		13,5 x 8,5 mm Ø 3,00 mm Ø 4,00 mm Ø 5,00 mm Ø 6,00 mm Ø 7,00 mm Ø 8,00 mm (1346/20X) 13 046 030 13 046 040 13 046 050 13 046 060 13 046 070 13 046 080
Eyelet lengthwise, open		13,5 x 8,5 mm	13 000 003 (1303)	Curved temple, smooth pearl holder, large		13,5 x 8,5 mm Wire 1,0 mm Ø 5,00 mm Ø 6,00 mm Ø 7,00 mm 13 047 050 (1347/205) 13 047 060 (1347/206) 13 047 070 (1347/207)
With beads and eyelet		13,5 x 8,5 mm Kugel 3,0 mm	13 002 030 (1320)	Bucks		13 003 031 (1300/B)
Front part smooth, eyelet lengthwise		13,5 x 8,5 mm	13 000 001 (1301)	Spring part, with or without stamp		13 003 000 (1300/F)
Front part grooved, eyelet lengthwise		13,5 x 8,5 mm	13 000 000 (1300)	Spring part and bucks, also available finished		13 003 030 (1330)
Front part grooved, eyelet lengthwise, large hanger		16,5 x 10 mm Wire 0,9 mm	13 009 000 (1300/0,9)	Front part straight with spring part, unfinished		13 003 040 (1340)
Front part smooth, eyelet across		13,5 x 8,5 mm	13 001 000 (1310)	Front part straight with eyelet and spring part, unfinished		13 003 041 (1341)
Front part grooved, eyelet across		13,5 x 8,5 mm	13 001 001 (1311)	Front part curved with spring part, unfinished		13 003 042 (1342)
Straight hoop, grooved pearl holder		13,5 x 8,5 mm Ø 3,00 mm Ø 4,00 mm Ø 5,00 mm Ø 6,00 mm Ø 7,00 mm Ø 8,00 mm	(1345/20X) 13 045 030 13 045 040 13 045 050 13 045 060 13 045 070 13 045 080	Front part straight with eyelet and spring part, unfinished		13 003 043 (1343)

EARRINGS

EAR STUD PINS

		Dimensions approx.	Art.-No.
Pearl holder, smooth		Ø 3,0 mm	12 915 003
		Ø 4,0 mm	12 915 004
		Ø 5,0 mm	12 915 005
		Ø 6,0 mm	12 915 006
		Ø 7,0 mm	12 915 007
		Ø 8,0 mm	12 915 008
Pearl holder, grooved		Ø 3,0 mm	12 905 003
		Ø 4,0 mm	12 905 004
		Ø 5,0 mm	12 905 005
		Ø 6,0 mm	12 905 006
		Ø 7,0 mm	12 905 007
		Ø 8,0 mm	12 905 008
Bead		Ø 2,5 mm	12 902 025
		Ø 3,0 mm	12 902 030
		Ø 3,5 mm	12 902 035
		Ø 4,0 mm	12 902 040
		Ø 5,0 mm	12 902 050
		Ø 6,0 mm	12 902 060
		Ø 8,0 mm	12 902 080
Bead and eyelet, open		Ø 2,5 mm	12 903 025
		Ø 3,0 mm	12 903 030
		Ø 3,5 mm	12 903 035
		Ø 4,0 mm	12 903 040
		Ø 5,0 mm	12 903 050
		Ø 6,0 mm	12 903 060
Eyelet 2.5 x 0.6 mm other dimensions on request			
Plate		Ø 3,0 mm	12 907 030
		Ø 4,0 mm	12 907 040
		Ø 5,0 mm	12 907 050
		Ø 6,0 mm	12 907 060
		Ø 8,0 mm	12 907 080
		Ø 10,0 mm	12 907 100
Plate and eyelet, open		Ø 2,8 mm	95 152 055
Front part smooth, eyelet across		7,0 x 2,9 mm	12 906 100
Front part grooved, eyelet across		7,0 x 2,9 mm	12 906 101

		Dimensions approx.	Art.-No.
Pen with 2 grooves		0,9 x 10 mm	12 900 100
		0,9 x 12 mm	12 900 120
		0,9 x 14 mm	12 900 140
		1,0 x 10 mm	12 901 100
		1,0 x 12 mm	12 901 120
Pen with 1 groove		1,0 x 14 mm	12 901 140
		0,9 x 10 mm	12 920 100
		0,9 x 12 mm	12 920 120
		0,9 x 14 mm	12 920 140
		1,0 x 10 mm	12 921 100
Set screw M1		1,0 x 12 mm	12 921 120
		1,0 x 14 mm	12 921 140
		1,0 x 11,0 mm	15 009 110
		1,0 x 10,0 mm	15 009 111

EARRINGS

EAR NUTS

		Dimensions approx.	Art.-No.
smooth edge, flat top		Ø 4.00 mm sheet metal 0.25 mm	12 100 000 (1201)
smooth edge, flat top		Ø 5.00 mm sheet metal 0.30 mm	12 000 000 (1200)
smooth edge, flat top		Ø 5.50 mm sheet metal 0.40 mm	12 300 000 (1203)
smooth edge, flat plate with funnel		Ø 5.00 mm sheet metal 0.30 mm	12 200 025 (1220)
smooth edge, flat plate with funnel		Ø 4.60 mm sheet metal 0.27 mm	95 152 070
serrated edge, flat top		Ø 5,00 mm sheet metal 0.30 mm	12 500 000 (1205)
serrated edge, curved top		Ø 5.50 mm sheet metal 0.35 mm	12 600 000 (1206)
serrated edge, curved top		Ø 5.50 mm sheet metal 0.35 mm	95 152 060
serrated edge, curved top,		Ø 5,00 mm sheet metal 0.35 mm	95 152 063

		Dimensions approx.	Art.-No.
serrated edge, curved top, large		Ø 9.00 mm sheet metal 0.40 mm	95 152 065
serrated edge, curved plate, with funnel		Ø 6.00 mm sheet metal 0.50 mm Ø 9.00 mm sheet metal 0.50 mm	12 500 070 (1207) 12 500 080 (1208)
pre-soldered flower		Ø 6.00 mm sheet metal 0.40 mm	12 800 000 (1210)
pre-soldered plate, flat		Ø 6.00 mm sheet metal 0.40 mm Ø 8.00 mm sheet metal 0.40 mm Ø 10,00 mm sheet metal 0.40 mm Ø 12,00 mm sheet metal 0.40 mm	12 810 060 (1212/6) 12 810 080 (1212/8) 12 810 010 (1212/10) 12 810 012 (1212/12)
pre-soldered plate, curved inwards		Ø 6.00 mm sheet metal 0.40 mm Ø 8.00 mm sheet metal 0.40 mm Ø 10,00 mm sheet metal 0.40 mm	12 811 060 (1211/6) 12 811 080 (1211/8) 12 811 100 (1211/10)

THREADED NUT

pre-soldered flower with thread		Ø 6,00 mm	15 000 121 (1500/1210)
smooth edge, flat plate with thread		Ø 5,00 mm	15 000 000 (1500)

EARRINGS

EAR HOOKS

		Dimensions approx.	Art.-No.		Dimensions approx.	Art.-No.
		18,0 x 9,0 mm wire 0,8 mm	95 154 106	Pearl holder, smooth		20,0 x 9,5mm wire 1.0mm Ø 3,0 mm 11 850 300 Ø 4,0 mm 11 850 400 Ø 5,0 mm 11 850 500 Ø 6,0 mm 11 850 600
		20,0 x 9,5 mm wire 1,0 mm	11 850 000 (1185)	Pearl holder, smooth		18,0 x 9,0 mm wire 0,8 mm Ø 3,0 mm 95 154 106/3 Ø 4,0 mm 95 154 106/4 Ø 5,0 mm 95 154 106/5 Ø 6,0 mm 95 154 106/6
		16,0 x 8,5 mm wire 0,9 mm	11 810 000 (1181)	Pearl holder, smooth		18,0 x 8,5 mm wire 0,9 mm Ø 3,0 mm 11 845 030 Ø 4,0 mm 11 845 040 Ø 5,0 mm 11 845 050 Ø 6,0 mm 11 845 060
Eyelet open		17,0 x 8,8 mm wire 0,9 mm	11 870 000 (1187)			
Eyelet open		18,0 x 9,0 mm wire 0,9 mm	95 154 107	Pearl holder, smooth		16,0 x 8,5 mm wire 0,9 mm Ø 3,0 mm 11 815 030 Ø 4,0 mm 11 815 040 Ø 5,0 mm 11 815 050 Ø 6,0 mm 11 815 060
Eyelet open at the back		14,0 x 8,3 mm wire 0,9 mm	11 860 000 (1186)			
Hollow ring 4,0 mm		20,0 x 9,5 mm wire 1.0 mm	11 855 040 (1185/204HR)			
Hollow ring 4,0 mm, long end		40,0 x 15,0 mm wire 1.0 mm	11 858 040 (1188/204)			

EARRINGS

CREOLS

	Dimensions approx.	Art.-No.
Bracket	11,0 mm	14 011 002
1402	13,0 mm	14 013 002
straight	15,0 mm	14 000 002
	17,0 mm	14 017 002
	19,0 mm	14 019 002



Bracket	15,0 mm	14 000 000
---------	---------	------------

1400 curved



Bracket	15,0 mm	14 000 001
1401 curved	17,0 mm	14 017 001



Bracket	13,0 mm	14 013 003
1403 curved	15,0 mm	14 000 003
	17,0 mm	14 017 003



Bracket	11,0 mm	14 011 004
1404 curved	13,0 mm	14 013 004
	15,0 mm	14 000 004
	17,0 mm	14 017 004
	19,0 mm	14 019 004



Bracket	11,0 mm	14 011 005
1405 curved	13,0 mm	14 013 005
	15,0 mm	14 000 005



Bracket	8,5 mm	14 311 085
1411 curved	10,0 mm	14 311 100
	11,5 mm	14 311 115



	Art.-No.
Joints 1430	14 100 000



Fuse 1441	14 200 001
-----------	------------



Fuse 1445	14 201 045
-----------	------------



EARRINGS

EAR CLIP

		Dimensions approx.	Art.-No.
Lug and feather unfinished		13,9 x 6,9 mm 6,0 x 7,6 mm	95 155 206
Lug and feather unfinished			95 155 239
Lug and feather unfinished		15,8 x 7,5 mm 5,2 x 6,8 mm	95 155 216
Lug and feather unfinished		17,0 x 9,0 mm 6,0 x 7,0 mm	95 155 227
Lug and feather unfinished		17,0 x 9,0 mm 6,0 x 7,0 mm	95 155 228
Lug and feather unfinished		17,0 x 9,3 mm 6,0 x 9,0 mm	95 155 229
Lug and feather unfinished		19,0 x 9,3 mm 20,0 x 5,7 mm	95 155 210
Feather		13,9 x 6,9 mm	95 155 211
Feather			11 001 010 11 001 011
Plate finished		plate 12,0 mm	95 155 223
Plate and eyelet punched and finished		plate 12,0 mm	95 155 224
Front part grooved, eyelet open finished			95 155 235
Bead eyelet open finished		bead 5.0 mm	95 155 236
Omega Clip 1150		3,0 mm 14,0 mm 15,0 mm 17,0 mm	11 500 130 11 500 140 11 500 150 11 500 170

BROOCHING

BROOCHES

	Art.-No.	
Brooches clasp	95 170 002	
Brooches clasp	95 170 009	
Brooches clasp	95 170 019	
Brooches clasp	95 170 023	
Brooches fuse	95 170 013	
Brooches fuse	95 170 014	
Buck	95 170 002	
Buck	95 170 003	
Buck	95 170 004	

	Dimensions approx.	Art.-No.
Joints		95 171 005
Joints		95 171 006
Joints		95 171 007
Joints		95 171 009
Joints		95 171 011
Joints		95 171 013
Bar brooch soldered		20 mm 95 173 001 20 25 mm 95 173 001 25 30 mm 95 173 001 30 35 mm 95 173 001 35 40 mm 95 173 001 40 45 mm 95 173 001 45 50 mm 95 173 001 50 55 mm 95 173 001 55 60 mm 95 173 001 60 70 mm 95 173 001 70
Bar brooch punched		20 mm 95 173 002 20 25 mm 95 173 002 25 30 mm 95 173 002 30 35 mm 95 173 002 35
Bar brooch punched with security		20 mm 95 173 003 20 25 mm 95 173 003 25 30 mm 95 173 003 30 35 mm 95 173 003 35

BROOCHING

NEEDLES

		Dimensions approx.	Art.-No.
Fuse		13,0 x 4,0 mm	95 163 134
Fuse		11,5 x 5,5 mm	95 163 199
Needle smooth, straight		40 mm 50 mm 60 mm additional lengths as specified	95 172 005 40 95 172 005 00 95 172 005 60
Needle grooved, straight		40 mm 50 mm 60 mm additional lengths as specified	95 172 006 40 95 172 006 00 95 172 006 60
Needle rubbed, bent		40 mm 50 mm 60 mm additional lengths as specified	95 172 002 40 95 172 002 00 95 172 002 60
Needle grooved, curved with plate 6mm		40 mm 50 mm 60 mm additional lengths as specified	95 172 007 40 95 172 007 00 95 172 007 60
Needle smooth, with cross pin		40 mm 50 mm 60 mm additional lengths as specified	95 172 3040 95 172 3050 95 172 3060
Needle Smooth, bent eyelet		40 mm 50 mm 60 mm additional lengths as specified	95 172 3140 95 172 3150 95 172 3160
Needle smooth, with tube		40 mm 50 mm 60 mm additional lengths as specified	95 172 4040 95 172 4050 95 172 4060
Stickpin-Stift		6,5 x 1,0 mm	95 163 104
Stickpin pen with plate		Pin 10.0 x 1.2 mm Plate 6.0 x 0.7 mm	95 163 131
Stickpin fuse		11,0 mm	95 163 132

MEN'S JEWELRY

CUFFLINK MECHANICAL

Spring parts large

	Dimensions approx.	Item no.
Cuffs button spring part oval	4.8 x 3.6 mm length 18.6 mm	50 100 403



Cuffs button spring part square	3.7 x 3.7 mm length 18.3 mm	50 100 402
---------------------------------------	--------------------------------	------------



Cuffs button spring part round	Ø 4.3 mm length 17.4 mm	50 100 407 50 200 004 50 210 090
--------------------------------------	----------------------------	--



Large bars (can be combined with all large spring parts)

Bar straight form H	Length 18.0 mm wire 3 x1.2 mm half round	50 200 000
------------------------	--	------------



Bar straight form Y	Length 19.2 mm wire 3 x1.2mm semicircular	50 200 002
------------------------	---	------------



Bar straight form U	Length 16.9 mm wire 3 x1.2mm semicircular	50 200 04
------------------------	---	-----------



Bar diagonally Form U	Length 18.3 mm wire 3 x1.2mm semicircular	50 200 005
--------------------------	---	------------



Bar form H with soldered plate	Length 18.0 mm wire 3 x1.2mm semicircular	50 210 060 50 210 090
-----------------------------------	---	--------------------------



Spring parts small

	Dimensions approx.
Cuffs button spring part oval	4.8 x 3.6 mm length 18.6 mm



Cuffs button spring part square	3.7 x 3.7 mm length 18.3 mm
---------------------------------------	--------------------------------



Cuffs button spring part round	Ø 4.3 mm length 17.4 mm
--------------------------------------	----------------------------



Small bars (can be combined with all small spring parts)

Bar straight form H	Length 18.0 mm wire 3 x1.2 mm half round
------------------------	--



MKM complete

Cufflink mechanism without spring	Plate oval, movable 4,5 x 18,9 mm bar length 16 mm Plate Ø 8,0 mm
---	--



Cufflink mechanism without spring	Plate square, movable 9,5 x 17,0 mm bar length 17 mm
---	---



Cufflink mechanism without spring	Plate oval, movable 4,5 x 18,9 mm bar length 16 mm Plate Ø 8,0 mm
---	--



Cufflink mechanism	Spring part 5.1 x 17,9 mm bar length 16 mm Plate Ø 7,5 mm
-----------------------	--



Cufflink mechanism with bucks	Spring part 5.1 x 17,9 mm bar length 16 mm
-------------------------------------	--



Cufflink mechanism not finished	Spring part, pressed square 7.8 x 18,4 mm bar length 14 mm
---------------------------------------	---



MEN'S JEWELRY

TIE CLIP

		Art.-No.
Tie holder finished		95 162 114
Tie holder finished		95 162 115
Tie clip Mechanics unfinished		95 162 100
Tie clip Mechanics unfinished		95 162 102
Tie holder finished		95 162 101
Tie holder finished		95 162 106
Tie holder finished		95 162 110

	Dimensions approx.	Art.-No.
Tie holder finished	Length 60 mm Width 7-5 mm tapering	95 162 121
Tie slider	6,0 x 40,0 mm 5,0 x 55,0 mm 5,0 x 65,0 mm	32 000 640 32 000 555 32 000 565
Tie slider	3,0 x 55,0 mm	95 162 118
Tie slider	5,0 x 55,0 mm 5,0 x 65,0 mm	30 001 355 30 001 365
Tie slider	5,0 x 60,5 mm	95 162 120
Tie slider	5,5 x 55,0 mm	95 162 126

ACCESSORIES

END CAPS

	Dimensions approx.	Art.-No.		Dimensions approx.	Art.-No.		
Ball capsule without eyelet	Ø 2,50 mm	60 000 025		Cylinder capsule	Inside 2.00mm	62 001 020	
	Ø 3,00 mm	60 000 030		Eyelet 3.2 x 0.7 mm, open	Inside 2.50 mm	62 001 025	
	Ø 3,50 mm	60 000 035		Inside 3.00mm	62 001 030		
	Ø 4,00 mm	60 000 040		Inside 3.50 mm	62 001 035		
	Ø 4,50 mm	60 000 045		Inside 4.00 mm	62 001 040		
	Ø 5,00 mm	60 000 050		Inside 4.50 mm	62 001 045		
	Ø 6,00 mm	60 000 060		Inside 5.00 mm	62 001 050		
	Ø 7,00 mm	60 000 070		Inside 5.50 mm	62 001 055		
	Ø 8,00 mm	60 000 080		Inside 6.00 mm	62 001 060		
	Ø 9,00 mm	60 000 080		Inside 6.50 mm	62 001 065		
				Inside 7.00 mm	62 001 070		
Spherical capsule Eyelet 3.2 x 0.7 mm, open	Ø 2,50 mm	60 001 025		Inside 8.00 mm	62 001 080		
	Ø 3,00 mm	60 001 030		Inside 9.00 mm	62 001 090		
	Ø 3,50 mm	60 001 035		Cylinder capsule Eyelet 4.5 x 0.7 mm, closed	Inside 2.00mm	62 002 020	
	Ø 4,00 mm	60 001 040			Inside 2.50 mm	62 002 025	
	Ø 4,50 mm	60 001 045			Inside 3.00mm	62 002 030	
	Ø 5,00 mm	60 001 050			Inside 3.50 mm	62 002 035	
	Ø 6,00 mm	60 001 060			Inside 4.00 mm	62 002 040	
	Ø 7,00 mm	60 001 070			Inside 4.50 mm	62 002 045	
	Ø 8,00 mm	60 001 080			Inside 5.00 mm	62 002 050	
	Ø 9,00 mm	60 001 080			Inside 5.50 mm	62 002 055	
					Inside 6.00 mm	62 002 060	
		Inside 6.50 mm	62 002 065				
Spherical capsule Eyelet 4.5 x 0.7 mm, closed	Ø 2,50 mm	60 002 025			Inside 7.00 mm	62 002 070	
	Ø 3,00 mm	60 002 030		Inside 8.00 mm	62 002 080		
	Ø 3,50 mm	60 002 035		Inside 9.00 mm	62 002 090		
	Ø 4,00 mm	60 002 040		Tulip without eyelet	6.0 x 4,0 mm	95 117 023	
	Ø 4,50 mm	60 002 045			7,7 x 5,3 mm	95 117 020	
	Ø 5,00 mm	60 002 050					
	Ø 6,00 mm	60 002 060					
	Ø 7,00 mm	60 002 070					
	Ø 8,00 mm	60 002 080					
	Ø 9,00 mm	60 002 080					
Cylinder capsule without eyelet	Inside 2.00mm	62 000 020		Tulip eyelet open			6,0 x 4,0 mm
	Inside 2.50 mm	62 000 025			7,7 x 5,3 mm		95 117 022
	Inside 3.00mm	62 000 030		Pin eyelet		6,0 x 4,0 mm	95 117 024
	Inside 3.50 mm	62 000 035				7,7 x 5,3 mm	95 117 021
	Inside 4.00 mm	62 000 040					
	Inside 4.50 mm	62 000 045					
	Inside 5.00 mm	62 000 050					
	Inside 5.50 mm	62 000 055					
	Inside 6.00 mm	62 000 060					
	Inside 6.50 mm	62 000 065					
	Inside 7.00 mm	62 000 070					
	Inside 8.00 mm	62 000 080					
	Inside 9.00 mm	62 000 090					

ACCESSORIES

PLATES

	Dimensions approx.	Art.-No.
Rectangular engraving plate, standard thickness 1.2 mm, hole 4.5 mm	30,0 x 15,0 mm	70 107 001
	33,0 x 20,0 mm	70 107 002
	36,0 x 24,0 mm	70 107 003



Round engraving plate, standard thickness 1.2 mm, hole 4.5 mm	Ø 23,00 mm	70 105 230
	Ø 28,00 mm	70 105 280
	Ø 30,00 mm	70 105 300



Logo plate		Diameter, material thickness and hole size as specified
------------	---	---

Logo plate		Diameter, material thickness and hole size as specified
------------	---	---

Logo plate		Diameter, material thickness and hole size as specified
------------	---	---

Logo plate		Diameter, material thickness and hole size as specified
------------	---	---

	Dimensions approx.	Art.-No.
Oval plates, standard thickness 0.5 mm	6,6 x 4,5 mm	70 004 000
	8,1 x 5,0 mm	70 004 001
	13,5 x 10,0 mm	70 004 002



Oval plates, standard thickness 0.5 mm	6,6 x 4,5 mm	70 004 100
	8,1 x 5,0 mm	70 004 101
	13,5 x 10,0 mm	70 004 102



Oval plates, standard thickness 0.5 mm	6,6 x 4,5 mm	70 004 200
	8,1 x 5,0 mm	70 004 201
	13,5 x 10,0 mm	70 004 202



Logo engravings or stamps
are possible on all boards.

ACCESSORIES

KEYRINGS

	Dimensions approx.	Art.-No.		Dimensions approx.	Art.-No.
flat, with thread	34,5 x 19,5 mm	95 180 321	flat, with thread	33,0 x 21,0 mm	95 180 323
					
round, with thread	34,5 x 19,5 mm	95 180 325	flat, with thread	36,0 x 24,5 mm	95 180 327
					
around, with thread and chain	34.5 x 19.5 mm curb chain anchor chain	95 180 325PK 95 180 325AK	flat, with clamp closure	43,0 x 25,0 mm	95 180 333
					
round, with thread and overlap	34,5 x 19,5 mm	95 180 331	flat, with clamp closure	43,0 x 30,5 mm	95 180 334
					
round, with thread	41,5 x 24,0 mm	95 180 330			
					

ACCESSORIES

RING RAILS

	Dimensions approx.	Art.-No.
Eyelet round, open	size as specified	



Eyelet round, closed	size as specified	
----------------------	-------------------	--



Eyelet oval, closed wire 0.9 mm	6,5 x 1,0 mm	71 510 065
	6,5 x 5,3 mm	71 553 065
	8,5 x 6,5 mm	71 565 085
	10,5 x 7,5 mm	71 575 105



Oval eyelet, closed half-round wire 2,0 x 1,0 mm	6,5 x 5,3 mm	71 620 065
	8,5 x 6,5 mm	71 620 085
	10,0 x 8,0 mm	71 620 100
	10,5 x 7,5 mm	71 620 105



LOOP

	7,3 x 3,7 mm	45 019 070
--	--------------	------------



	6,0 x 3,0 mm	45 019 230
--	--------------	------------



	7,0 x 3,0 mm	19 307 030
--	--------------	------------



	6,2 x 2,0 mm	45 019 000
--	--------------	------------



RING RAILS

open	width 5,8 mm	95 185 004
------	--------------	------------



open	width 4,0 mm	95 185 006
------	--------------	------------



	Dimensions approx.	Art.-No.
overlapping	width 5,0 mm	95 185 007



overlapping	width 3,0 mm	95 185 013
-------------	--------------	------------



Pearl shells

Pearl shell, smooth	Ø 4,00 mm	95 156 14
	Ø 5,00 mm	95 156 25
	Ø 6,00 mm	95 156 36
	Ø 7,00 mm	95 156 48
	Ø 8,00 mm	95 156 510

Pearl shell, grooved	Ø 4,00 mm	95 156 141
	Ø 5,00 mm	95 156 251
	Ø 6,00 mm	95 156 361
	Ø 7,00 mm	95 156 481
	Ø 8,00 mm	95 156 5101

Pearl pendant, smooth, eyelet 3.2 x 0.7 mm	closed	
	Ø 3,00 mm	16 000 030
	Ø 4,00 mm	16 000 040
	Ø 5,00 mm	16 000 050
	Ø 6,00 mm	16 000 060
	open	
	Ø 3,00 mm	16 010 030
	Ø 4,00 mm	16 010 040
	Ø 5,00 mm	16 010 050
	Ø 6,00 mm	16 010 060



Pearl pendant, grooved, eyelet 3.2 x 0.7 mm	closed	
	Ø 3,00 mm	16 001 030
	Ø 4,00 mm	16 001 040
	Ø 5,00 mm	16 001 050
	Ø 6,00 mm	16 001 060
	open	
	Ø 3,00 mm	16 011 030
	Ø 4,00 mm	16 011 040
	Ø 5,00 mm	16 011 050
	Ø 6,00 mm	16 011 060





Hohenhaus Precision Manufacturing GmbH

Burgstraße 31 - 75179 Pforzheim (Germany)

+49 07231 441450 - info@hohenhaus.biz

www.hohenhaus.biz